

Effective January 18, 2022

800.852.4221






























System Selection Guide

Three areas to focus when determining water treatment needs.

- Scale (calcium & Magnesium)
- Taste & Odor
- Sediment



Scale

Scale is the most prevalent problem is food service equipment. It cause equipment break-down and inefficiency resulting in high cost maintenance.

Taste & Odor

Bad tastes and odors are usually the result of organics or chlorine present in the water. Carbon based filtration will absorb those substances and provide excellent water quality.

Sediment

Sediment, dirt and any particulates can clog equipment and interfere with optimal operation. They will also contribute to premature filter exhaustion.

Most water-related problems are caused by two basic characteristics:

- 1. A tendency to form scale impacts equipment operating efficiency and condition.
- 2. An offensive taste or odor impacts beverage quality. A common cause of offensive taste and odor is chlorine and its by-products.

Scale comes from naturally occurring minerals in the water commonly referred to as water hardness.

You may need to contact your local municipality to determine your water condition. We also offer a basic field test to test for water pH and hardness.

Because water chemistry varies from city to city, there are many variables when considering effective water treatment. We offer water treatment for any water condition and utilize five different technologies to solve water problems.

Water Treatment Options

Systems IV offers multiple water treatment configurations to meet your needs.

- **P** = Proprietary Our completely proprietary water treatment systems. The preferred solution for water treatment.
- **SP** = Semi-Proprietary Patented Scale control Cartridges with industry standard carbon filtration.
- **FF** = Fast Fit Our Fast Fit systems for easy cartridge change out and retro fit most Everpure® manifolds.
- **CB** = Drop-in Our drop-in carbon block and Citryne cartridges are easy to change out and designed for high flow.

Scale Inhibitor

Our scale inhibitor encapsulates Calcium and Magnesium so that the molecules cannot bind to each other. Effectively inhibiting scale formation. Scale inhibition is effective where water does not have excessive scale.

Eliminates Effects of Scale



Citryne is used in low and high scale problem water. We use a patent pending

technology to soften hard water based on the scientific process of chelation. Our FDA approved, proprietary formulation, keeps the minerals (calcium and magnesium) soluble and unable to bind to cause hard water problems. The resulting water is soft and healthy for all of your equipment needs.

Mechanical Filtration

Sediment, dirt and any particulates can clog equipment and interfere with optimal operation. They will also contribute to premature filter exhaustion.

Activated Carbon

Reduces corrosion caused by chlorine and absorbs most bad tastes and odors. Provides optimal drinking water for both hot and cold beverages.

Reverse Osmosis

Utilizes a purification process that uses a partially permeable membrane to remove ions, unwanted molecules and larger particles from drinking water.

Citryne Scale Control Technology



When using water treatment for for hard water problems, our patented Citryne blend is the optimal choice for the most effective and efficient scale control. Citryne will eliminate scale problems in water ranging from low scale (6 gpg hardness) up to very high scale (18 gpg Hardness and above). It is completely safe, FDA approved and also eliminates scale problems in cold or hot water conditions.

Citryne offers a One-Two punch!

First -

It doesn't allow new scale to form in food service equipment.

Second -

Citryne breaks up the bonds of existing scale so they no longer accumulate in the equipment and Citryne makes equipment maintenance much easier.



Mechanical Filtration

Mechanical filters are designed to trap and hold particulate matter (not dissolved) in water down to a specific size or micron. Our water treatment uses mechanical filtration for pre-filtration and very fine filtration to filter different forms of bacteria.

Activated Carbon to Treat Water

Systems IV utilizes both granular coconut shell activated carbon and carbon block technology. Our activated carbon filtration for water is very effective in removing chlorine taste and odor, chemicals, organic contaminants, pesticides and herbicides that commonly found in tap water and well water.

In fact, one of the main reason that the activated carbon filter is widely used in our industry is because of its strong capability in removing chlorine taste and bad smell.

The activated carbon filter can also adsorb all the particles and contaminants with a size that are larger than the size of its pores.

Scale Inhibitor Technology

Systems IV scale inhibitor media interferes with the ability of hardness minerals to crystalize and create scale. Our inhibitor also is utilized to inhibit corrosion to protect metal surfaces.

Benefits of using Polyphosphate in Water:

- Prevent "red" staining (from iron) and "black" staining (from manganese) water
- Reduce soluble lead and copper in potable water
- Clean and dissolve precipitated mineral scale already existent in water distribution lines
- Prevent and/or retard scale formation (from mineral depositing) and corrosion (from low pH and/or dissimilar metals) in the water distribution system

Effective January 18, 2022

800.852.4221



Utilizing a proprietary formulation of CITRYNE[®], Systems IV products eliminate scale without the use of hazardous chemicals. The patented mechanical release technology ensures a scale-free environment to provide continuous premium water.

ICE MAKER WATER TREATMENT

Ice	Ice Maker Size			Water Treatme	nt Solution		Replacement Cartridges			
Lbs. per day	GPM	Connection	Scale	System	Part No.	Price	Model	Part No.	Price	
600 lbs.	3.0	3/8" Flare Easy connect avail.	Low	Crystal Clear One	10111011	180.95	CC1R	10111021	155.90	
600 lbs.	3.9	1/2" FPT	High	Ecolce 600	10131011	464.70	Ecolce 600R	10131021	237.00	
1300 lbs.	5.5	1/2' FPT	High	Ecolce 1300	10134011	805.65	Ecolce 1300R	10134021	519.95	
2500 lbs.	2500 lbs. 7.0 1/2" FPT		High	Ecolce 2500	10136011	1,060.40	Ecolce 2500R	10136021	667.40	



Low Scale solutions utilize a very effective scale inhibitor while High Scale solutions utilize Citryne® for maximum scale elimination.

PRE-CHILL TECHNOLOGY 🔆

Ice	Make	Size		Water Treatme	nt Solution		ChillTech Brackets			
Lbs. per day	GPM Connection		Scale System		Part No.	Price	Model	Part No.	Price	
600 lbs.	3.8	1/2" Easy Connect	All	ChillTech Slim	1051002	613.10	CTSLIMBRKT	10158002	86.00	
1300 lbs.	5.5	1/2" MPT	All	ChillTech II	10152001	1,184.15	CTHORIZONTAL	10158202	86.00	
2400 lbs.	2400 lbs. 6.0 1/2" MPT		All	ChillTech III	10153001	1,288.95	CTHORIZONTAL	10158202	86.00	

ChillTech water treatment products don't have replacement cartridges. The complete unit should be replaced as needed.

BACTERIA CONTROL

Ice	Maker	Size		Water Treatme	nt Solution		Replacement Cartridges			
Lbs. per day	os. per day GPM Connection		Scale	System	Part No.	Price	Model	Part No.	Price	
All Ice Makers	5.5	1/2' FPT	Low	BioTech I	10811011	311.90	BTIR	10811021	276.50	
All Ice Makers 5.5 1/2" FP		1/2" FPT	High	BioTech II	10812011	633.75	BTIIR	10812021	573.25	



Ice Maker Water Treatment

 $\label{thm:ligh-scale} \mbox{High Scale solutions utilize Citryne} \mbox{ for maximum scale elimination.}$

SCALE CONTROL

Ice	Make	Size		Water Treatme	nt Solution		ScaleGone Brackets			
Lbs. per day	GPM			System	Part No.	Price	Model	Part No.	Price	
up to 800 lbs.	3.8	3/8" Easy Connect	High	ScaleGone 1	10911011	290.20	BRKT-SML	11201001	25.00	
up to 1800 lbs.	5.5	1/2" Easy Connect	High	ScaleGone 2	10912011	508.50	BRKT-MDM	11202001	26.15	
All Ice Makers	All Ice Makers 3.0 3/8" Easy Connec			CitryMax 8001	17591511	201.60	Citryne Retrofit	for 3M 8000 S	Series	



 $\label{thm:linear} \mbox{High Scale solutions utilize Citryne} \mbox{ for maximum scale elimination.}$

BEVERAGE WATER TREATMENT

	DEVELOAGE WATER THEATMENT												
	Bever	age Ap	plication		Water Treatme	nt Solution	Replacement Cartridges						
	Туре	GPM	Connection	Scale	System	Part No.	Price	Model	Part No.	Price			
ge	Hot Beverage	2.5	3/8" Easy Connect	High	BWT100	10311011	185.25	BWTR	10311021	153.15			
/erage	Post Mix	7.0	1/2" FPT	ALL	Beverage Clear	10321011	849.65	BCR	10322021	502.85			
$ar{oldsymbol{\phi}}$	¥	¥							-				

High Scale solutions utilize Citryne® for maximum scale elimination.



Effective January 18, 2022

STEAM COOKER WATER TREATMENT

///	Stea	m Cook	ker Size		Water Treatme	nt Solution		Replacement Cartridges		
(((Systems	GPM	Connection	Scale	System	Part No.	Price	Model	Part No.	Price
	Flash Steamer (Complete System)	2.0	1/2" MPT	High	Water Master 1	10231001	873.80	WM1R Pak	10231021	408.90
ý	Single, Multi- Compartment & Combi-Ovens	4.0	1/2" FPT	High	Water Master 2	10232011	975.80	WM2R Pak	10232021	448.85
ker	Steam Cooker Size				Water Treatme	nt Solution	ScaleGone Brackets			
Cookers	Add-on Units	GPM	Connection	Scale	System	Part No.	Price	Model	Part No.	Price
Steam C	Flash Steamer (add-on)	3.8	3/8" Easy Connect	High	ScaleGone 1	10911011	290.20	SML-BRKT (bracket)	1120100	25.00
Ste	Single, Multi- Compartment & Combi-Ovens	5.50	1/2" Easy Connect	High	ScaleGone 2	10912011	508.50	MDM-BRKT (bracket)	11202001	26.15
	Multi- Compartment & Combi-Ovens	7.0	1/2" Easy Connect	High	ScaleGone 3	10913011	635.90	LRG-BRKT (bracket)	11203001	35.65
	CITRYNE	Д	II Steam Cooker wa	ater treat	tment solutions utiliz	ze Citryne® f	or maximur	n scale elimination.		

WARE WASHER WATER TREATMENT

	WARE WASHER WEATHERT												
······	Ware	Wash	er Size		Water Treatme	nt Solution *		ScaleGone Brackets					
	Size	GPM	Connection	Scale	System	Part No.	Price	Model	Part No.	Price			
	Glass Washers & Under Counter	6.0	1/42 MPT	High	ScaleGone 2H	11202001	434.25	MDM-BRKT (bracket)	11202001	26.15			
	Door Type & Small Conveyor	8.0	3/4" GH	High	ScaleGone 3H	11203001	688.75	LRG-BRKT (bracket)	11203001	35.65			
ners	Medium & Large Conveyor	9.0	3/4" GH	High	ScaleGoe 4H	11204001	715.50	XLRG-BRKT (bracket)	11204001	36.85			
Washers	* ScaleGone rep	olacem	ents use same pa	rt numb	er as original purc	chase (no bra	ed for replacemen	t installations	s).				
	Older Mo	del Re	placements		Water Treatmen	t Application		Replacem	ent Cartridges	5			
Ware				High	Glass Washers & Un	der Counter		SC100H	16690121	144.75			
>					Door Type & Small C	onveyor		SC200H	16690221	219.60			
					Medium & Large Cor		SC300H	16690421	330.65				
	CITRYNE	AL	L Ware Washer wa	ater treatment solutions utilize Citryne® for maximur				n scale elimination.					

CONVENIENCE FOOD STORE WATER TREATMENT

SHOP	Ice	& Beve	erage		Water Treatme	nt Solution		Replacement Cartridges		
	Size	GPM	Connection	Scale	System	Part No.	Price	Model	Part No.	Price
Se.	Small Ice & Beverage	2.0	1/2" MPT	High	WaterMaster 1	10231001	873.80	WM1R Pak	10231021	408.90
Stores	Medium Ice & Beverage	4.0	1/2" MPT	High	Water Master 2	10232011	975.80	WM2R Pak	10232021	448.85
Convenience	Large Ice & Beverage	6.0	1/2" MPT	High	Water Master 3	10232011	1,160.75	WM3R Pak	10233021	524.70
nveni	Convenience Store	4.0	1/2" MPT	High	Water Master CS	10234011	997.50	WMCSR Pak	10234021	448.85
S	CITRYNE	II Conve	enience Food Store	water t	reatment solutio <u>ള</u> ുക്ക	ıtilize Citryne	® for maxir	num scale eliminatio	on.	



Effective January 18, 2022

TANKLESS HOT WATER SYSTEMS

	Tankless	Water I	Heater Size		Water Treatme	ent Solution		Cartridge Application	
	Size	GPM	GPM Length		Scale System Part No.		Price	Note	
8	Small/Medium	4.0	9 3/4"	High	SC100	10911021	113.65	For use in standard 10" cold water sump housing	
	Medium/Large	8.0	20"	High SC200 10912021 172.30				For use in standard 20" cold water sump housing	
	CITRYNE		All Tan	kless Ho	t water treatment s	olutions utilize	for maximum scale elimination.		

DROP-IN WATER TREATMENT CARTRIDGES

~	Cartridge Type		Water Treatment Solution			
\approx	Description	GPM	Benefit	Model No.	Part No.	Price
	10" Poly Spun 5 Micron Pre-filter	Up to 1.5	Filtration	CB-5M10PRE	16675101	8.90
	10 Carbon Block 5 Micron	Up to 1.5	Taste & Odor	CB-5M10	16615101	31.65
	10" Carbon Block .5 Micron	Up to 1.5	Taste & Odor	CB5M10	16610101	33.40
es	10" Carbon Block .5 Micron with 4 oz. Polyphosphate	Up to 1.5	Taste, Odor & Scale	CB5MP10	14570111	55.40
Cartridges	20" Poly Spun 5 Micron Pre-filter	Up to 3.0	Filtration	CB-5M20PRE	16675201	18.60
artı	20 Carbon Block 5 Micron	Up to 3.0	Taste & Odor	CB-5M20	16615211	81.60
	20" Carbon Block .5 Micron	Up to 3.0	Taste & Odor	CB5M20	16610211	68.80
Drop-In	20" Carbon Block .5 Micron with 8 oz. Polyphosphate	Up to 3.0	Taste, Odor & Scale	CB5MP20	14570211	114.25
Dro	Jumbo 5 Micron Pre-filter	Up to 6.0	Filtration	CB-5MJPRE	16615401	74.65
	Jumbo Carbon Block 5 Micron	Up to 6.0	Taste & Odor	CB-5MJ	16615411	111.95
	Jumbo Carbon Block 5 Micron with 8 oz. Polyphosphate	Up to 6.0	Taste, Odor & Scale	CB-5MPJ	16675411	142.25

MISCELLANEOUS & SYSTEM REPLACEMENTS

\approx	Applicat	ion		Water Treatme	nt Solution	Replacement Cartridges						
\sim	Use	Connection	Scale	System	Part No.	Price	Model	Part No.	Price			
	Coffee Brewers	3/8" Flare	ALL	Coffee Clear (CC)	10311111	171.05	СС	10311111	171.05			
sno	Replacement Chlorinator	1/4" Compression	ALL	CL12A	10841011	276.50						
anec	BioClean II (2nd stage)	1/4" Compression	ALL	CL16	10842011	301.75						
Miscellaneous	25 micron 10" Pleated Cartridge	Cartridge	ALL	SD8	10607101	39.05						
Σ	5 micron 10" Carbon Cartridge	Cartridge	ALL	TD1	10605101	42.95						
	Pressure Gauge	Gauge	ALL	RL100	11010001	50.45						
	Water Analysis Test Kit	N/A		QTK	11030001	20.60						

SCALE CONTROL - General Use

\approx	Add-on Sc	ale Cor	ntrol Products	Water Treatment Solution				Replacement Cartridges				
\sim	Application	GPM	Connection	Scale	System	Part No.	Price	Model	Part No.	Price		
	Ice & Steam	5.5	1/4" Compression	High	AB16	10911011	276.50					
40	Ice & Steam	5.5	3/8" Compression	High	AB312	10902011	377.05					
Scale	Scale Remover	N/A	2.2 lb. bag	High	QUICKCLN	11941001	49.00					
S	Ice & Steam			High	SCALEFREE	10910011	427.15	SFBR	10910021	352.05		
	CITRYNE		High Sc	ale soluti	ons utilize Citryne	® for maximur	n scale elir	mination.				



800.852.4221

2022 List Price Guide

Effective January 18, 2022



ICE MAKER WATER TREATMENT

	lce	Maker	Size		Water Treatme	nt Solution		Replacem	ent Cartridges	
	Lbs. Per Day	GPM	Connection	Scale	System	Part No.	Price	Model	Part No.	Price
	Ice Makers up to 800 lbs./ Flakers up to 1200 lbs.	1.67	3/8" FPT	Low	FF-CP10	17111001	363.00	FF-CP10R	17511001	124.10
ij	Ice Makers up to 1000 lbs./ Flakers up to 1400 lbs.	2.0	3/8" FPT	Low	FF-CP15	17171501	393.85	FF-CP15R	17571501	153.00
Treatme	Ice Makers up to 1600 lbs./ Flakers up to 2000 lbs.	4.0	3/8" FPT	Low	FF-CP15-2	17281001	773.80	FF-CP15R FF-CP15R	17571501 17571501	153.00 153.00
Ice Maker Water Treatment	High Performance Ice Makers up to 800 lbs./ Flakers up to 1000 lbs.	2.0	3/8" FPT	High	FF-CSC15	17281001	897.80	FF-C15 FF-SC15	17511501 17591501	146.50 173.45
Ice N	High Performance Ice Makers up to 1500 lbs./ Flakers up to 1800 lbs.	4.0	3/8" FPT	High	FF-CSC15-2	17281001	922.30	FF-C15 FF-SC15	17511501 17591501	146.50 173.45
	High Performance Ice Makers up to 2000 lbs./ Flakers up to 2400 lbs.	6.0	3/8" FPT	High	FF-CSC15-3	17371501	1,142.25	FF-C15 FF-C15 FF-SC15	17511501 17511501 17591501	146.50 146.50 173.45
	CITRYNE		Low Scale solution		a very effective sca			cale solutions utilize)	

STEAMER WATER TREATMENT

\approx	St	Steamer Size			Water Treatm	Replacement Cartridges				
\sim	Size	GPM	Connection	Scale	Model	Part No.	Price	Model	Part No.	Price
ည	Single Compartment of Countertop	1.67	3/8" FPT	High	FF-CSC10	17281001	868.65	FF-C10 FF-SC10	10846111 17591001	117.55 153.90
Steamers	Multiple Compartment Steamers or Combi-Oves	2.0	3/8" FPT	High	FF-CSC15	17281501	897.8	FF-C15 FF-SC15	17511501 17591501	146.50 173.45
	č		All Steamer	water trea	atment solutions u	tilize Citryne®	for maximu	um scale eliminatio	on.	















800.852.4221

2022 List Price Guide

Effective January 18, 2022



STAND ALONE SCALE SYSTEM

<u>o</u>	Ware	e Washe	er Size	Water Treatment Solution				Replacement Cartridges			
Scale	Size	GPM	Connection	Scale	Model	Part No.	Price	Model	Part No.	Price	
ņ	Add-on unit for Scale	2.0	3/8" FPT	High	FF-SC15YS	17191501	421.15	FF-SC15	17591501	173.45	
Add	CITRYNE	Т	his is and add-on	water tre	atment solution tha	t utilizes Citry	ne® for m	aximum scale elimir	nation.		

COLD BEVERAGE WATER TREATMENT

7	Со	ld Beve	rage		Water Treatme	ent Solution	Replacement Cartridges			
3	Size	GPM	Connection	Scale	Model	Part No.	Price	Model	Part No.	Price
	Cold Beverage	1.67`	3/8" FPT	Low	FF-C10SYS	17111002	347.45	FF-C10	17511002	117.55
Beverage	Cold Beverage Mid Flow	2.0	3/8" FPT	Low	FF-C15SYS	17111501	379.55	FF-C15	17511501	146.50
old Bev	Cold Beverage High Flow	4.0	3/8" FPT	Low	FF-C15-2	17211511	880.30	FF-C15 FF-C15	17511501 17511501	146.50 146.50

All Cold water treatment solutions provide maximum taste & chlorine removal.

HOT BEVERAGE WATER TREATMENT

	Цс	t Beve	rago	Water Treatment Solution				Replacement Cartridges		
	ПС	Deve	raye		vvaler freatific	ent Solution		nepiaceii	ient Cartnuges	•
	Size	GPM	Connection	Scale	Model	Part No.	Price	Model	Part No.	Price
	Serving Capacity- 3,700	1.0	3/8" FPT	Low	QT-RC	17851211	318.70	QT-RC	17851201	54.95
age	Serving Capacity - 7,425	1.0	3/8" FPT	Low	QT-RC2	17851221	423.65	QT-RC QT-R	17851201 17861201	54.95 53.80
Beverage	Serving Capacity- 11,400	1.0	3/8" FPT	Low	QT-RC3	17851231	536.75	QT-RC QT-R QT-R	17521201 17861201 17861201	54.95 53.80 53.80
Hot	Serving Capacity- 16,280	1.0	3/8" FPT	Low	QT-RC4	17851241	618.00	QT-RC QT-R QT-R QT-R	17851201 17861201 17861201 17861201	54.95 53.80 53.80 53.80
			All Hot wat	er treatn	nent solutions provi	de maximum	taste & chl	orine removal.		

MULTI-POINT WATER SYSTEMS

	Multi-Poi	int Wate	er Systems	Water Treatment Solution				Replacement Cartridges			
	Size	GPM	Connection	Scale	System	Part No.	Price	Model	Part No.	Price	
<u>ii</u>	w/ 10" Pre-Filter	6.0	3/8" FPT	High	FF-CSCMP	17381501	1,909.90	FF-C15PRE FF-C15 FF-C15 FF-SC15	17551501 17511501 17511501 17591501	91.85 146.50 146.50 173.45	
Multi-Point	w/ 20" Pre-Filter	6.0	3/8" FPT	High	FF-15-3MP+	17481501	1,952.80	CB-5M20PRE FF-C15 FF-C15 FF-SC15	16675201 17511501 17511501 17591501	12.10 146.50 146.50 173.45	
_			All Multi-Point w	ater treat	ment solutions util	ize Citryne® f	or maximum	n scale elimination.			



Effective January 18, 2022

800.852.4221



ADDITIONAL CARTRIDGE OPTIONS

	Additional	Fast Fi	t Cartridges		Water Treatm	Additional Information		
\subseteq	Product	GPM	Connection	Scale	Model	Part No.	Price	Description
	Carbon Filtration	1.67	3/8" FPT	Low	FF-C10	10846111	117.55	1 micron carbon filtration
	Carbon Filtration	2.0	3/8" FPT	Low	FF-C15	17511501	146.50	1 micron carbon filtration
	Pre-Filter 10"	1.67	3/8" FPT	Low	FF-C10PRE	17551001	89.10	Sediment Pre-filter 5 micron
	Pre-Filter 15"	2.0	3/8" FPT	Low	FF-C15PRE	17551501	94.95	Sediment Pre-filter 5 micron
	Carbon Filtration with Scale Inhibitor	1.67	3/8" FPT	Low to Mid	FF-CP10R	17511001	124.10	1 Micron carbon filtration with scale inhibitor
	Carbon Filtration with Scale Inhibitor	2.0	3/8" FPT	Low to Mid	FF-CP15R	17571501	153.00	1 Micron carbon filtration with scale inhibitor
	Scale Control with Citryne	1.67	3/8" FPT	High	FF-SC10	17591001	153.90	Scale Control with Citryne
	Scale Control with Citryne	2.0	3/8" FPT	High	FF-SC15	17591501	173.45	Scale Control with Citryne
	Carbon Filtration & Resin	1.67	3/8" FPT	Mid	FF-C10RSN	17551051	142.25	10" Carbon & Resin softening cartridg
	Carbon Filtration & Resin	2.0	3/8" FPT	Mid	FF-C15RSN	17551551	158.60	15" Carbon & Resin softening cartridg
	Resin Cartridge	1.67	3/8" FPT	Mid	FF-10RSN	17551061	132.95	10" Resin softening cartridge
	Resin Cartridge	2.0	3/8" FPT	Mid	FF-15RSN	17551561	146.90	15" Resin softening cartridge
	Lead Reduction	1.67	3/8" FPT	Low	FF-C10L	17561001	71.95	Lead Reduction with Carbon Filtration
	Lead Reduction	2.0	3/8" FPT	Low	FF-C15L	17561501	73.30	Lead Reduction with Carbon Filtration
_	Chloramine Reduction	1.67	3/8" FPT	Low	FF-C10CL	17541001	145.75	Chloramine reduction with carbon filtration 1 micron
	Chloramine Reduction	2.0	3/8" FPT	Low	FF-C15CL	17541501	155.25	Chloramine reduction with carbon filtration 1 micron



Additional water treatment solutions address specific water issues that may be present. High Scale water treatment units utilize Citryne® for maximum scale elimination.

EVERPURE RETROFITS

\sim	Ware	e Wash	er Size		Water Treatme	nt Solution	Additional Information	
\approx	Size	GPM	Connection	Scale	Model	Part No.	Price	Description
	Fits Everpure Head - Carbon Filter	2.0	3/8" FPT	Low	FF-C15 EXT	17511201	126.10	Micron filtration carbon for taste & odor Up to 6 months cartridge life
Retrofit	Fits Everpure Head - Carbon Filter & Scale Inhibition	2.0	3/8" FPT	Low	FF-CP15 EXT	17571201	132.25	Micron filtration carbon for taste & odor Scale Inhibition Up to 6 months cartridge life
Re	Fits Everpure Head - Scale Control with Citryne	2.0	3/8" FPT	High	FF-SC15 EXT	17591201	168.95	Scale control with Citryne Up to 6 months cartridge life
	č		Low Sca	ale soluti	ons utilize a very ef	fective scale	inhibitor wl	nile



High Scale solutions utilize Citryne® for maximum scale elimination.



800.852.4221

2022 List Price Guide

Effective January 18, 2022

REVERSE OSMOSIS WATER TREATMENT

\sim	Reverse	Osmos	sis Solution		Water Treatme	nt Solution		Replaceme	ent Cartridges	5
\sim	Product	GPD	Connection	Scale	System	Part No.	Price	Model	Part No.	Price
	Complete System	80	3/8" FPT	High	S4-80RO	10843001	2,750.00	S4-80ROR	10843002	917.00
	Complete System	500	3/8" FPT	High	S4-500RO	10843101	4,042.50	S4-500RO-R	10845101	619.10
	Individual Repla	acement	Parts Description		Model	Part No.	Price		l Information	
Osmosis	Replaceme	nt Cartri	idge Pre-Filter		FF-C10RPRE	10846101	98.20	replace 3 mos	. or 20,000 gal	lons
	Replaceme	ent Carb	oon Cartridge		FF-C10	10846111	110.90	replace 3 mos	. or 20,000 gal	lons
Reverse	Inline	Calcite	Feeder		CAL10	10846121	74.00	2" x 1-0" w	vith EC fittings	;
Re	Membr	ane Rep	placement		м-мв	10845501	410.05	Replacement var	ries - up to 6 n	nonths
	9 Gallon Ro	O storaç	ge tank - steel		ST9	10849821	277.20	6 gallo	on actural	
	20 Gallon R	O stora	ge tank - steel		ST20	10849841	716.10	12 gal	lon actual	
	44 Gallon R	44 Gallon RO Storage Tank - steel			ST44	10849861	2,858.65	27 gal	lon actual	
	Polypropylene storage tank shut-off valve			TSOV	10849911	101.65	3/8" and 1/4	" Female NPT	F	
	Quick Connect B	all Valve	e Kit for 1.25" FNPT		вук	10849912	213.70	1/2" and 3	3/8" ball valve	
			Reverse	Osmosi	s is used for the red	uction of silic	ca and chlor	ides.		



Effective January 18, 2022

800.852.4221

Legacy Series

OVER 30 YEARS of PROVEN WATER TREATMENT

The Legacy Series has been proven for years to be unequaled in water treatment quality and satisfaction for the food service industry. Systems IV continues to provide the Legacy Series water treatment products.

	lce	Ice Maker Size			Water Treatm		Replacement Cartridges				
	Lbs. per day	GPM	Connection	Scale	System	Part No.	Price	Model	Part No.	Price	
	1,000 lbs.	3.67	3/8" Flare	Low	DB1000	10111111	656.20	DB1001	10111121	411.80	
	1,000 lbs.	3.67						DB901N	10111201	411.80	
	1,000 lbs.	3.67	1/2" Flare	Low	H200N	10111511	656.00	H201N	10111521	412.10	
	1,400 lbs.	5.5	1/2" Flare	Low	MF1400N	10111211	785.40	MF1401N	10111221	483.85	
nent	3,500 lbs.	7.3	1/2" Flare	Low	THF350N	10111311	1,110.85	THF351N	10111321	641.80	
e			1	CI							

Low Scale solutions utilize a very effective scale inhibitor.

ICE MAKER WATER TREATMENT - HIGH scale applications

lce	Maker	Size		Water Treatme	ent Solution		Replacement Cartridges			
Lbs. per day	GPM	Connection	Scale	System	Part No.	Price	Model	Part No.	Price	
1,300 lbs.	5.50	1/2" FPT	High	WaterTech	10112111	929.05	WTR WT1 WT2	10112120 10112121 10112122	568.65 246.35 352.20	
2,400 lbs.	5.50	1/2" FPT	High	IceTech	10113111	899.95	ITR IT1 IT2	10113120 10113121 10113122	568.65 246.35 352.20	
3,000 lbs.	7.30		High				ProMax 3000R-4	10114324	1,171.65	
3,000 lbs.	7.30		High				ProMax 3000R-5	10114325	1,171.65	
¥	-									

 $\label{thm:ligh-scale} \mbox{High Scale solutions utilize Citryne} \mbox{ for maximum scale elimination.}$

STEAM COOKER WATER TREATMENT - SIX MONTH SOLUTIONS

)))	Steam Cooker Size			Water Treatment Solution				Replacement Cartridges			
(((Systems	GPM	Connection	Scale	System	Part No.	Price	Model	Part No.	Price	
	Counter Top or Floor model (Complete System)	5.5	1/2" FPT	High	SteamTech	1`0222011	899.95	STR ST1 ST2	10222020 10222021 10222022	568.65 246.35 352.20	
	Multi- Compartment & Combi-Ovens	5.5	1/2" FPT	High	WaterTech	10112111	929.05	WTR WT1 WT2	10112120 10112121 10112122	568.65 246.35 352.20	

STEAM COOKER WATER TREATMENT - ONE YEAR SOLUTIONS

Steam Cooker Size			Water Treatment Solution				Replacement Cartridges		
Systems	GPM	Connection	Scale	System	Part No.	Price	Model	Part No.	Price
One Compartment Steamer	5.5	1/2: FPT	High	SCP30-2	10214012	1,607.30	SCP30R-2 F70C (1st unit) AB412R-2 (2nd unit)	10214022 10214020 10214032	1,251.00 6651.35 483.85
Multi- Compartment & Combi-Ovens	5.5	1/2" FPT	High	SCP30-3	10214013	1,607.30	SCP30R-3 F70C (1st unit) AB412R-3 (2nd unit)	10214023 10214020 10214033	1,251.00 651.35 483.85

CITRYNI

Steam Cookers

ce Maker Water Treatn

All Steam Cooker water treatment solutions utilize Citryne® for maximum scale elimination.



Effective January 18, 2022



SCALE CONTROL

\approx	Add-on Scale Control Products			Water Treatment Solution				Replacement Cartridges		
	Application	GPM	Connection	Scale	System	Part No.	Price	Model	Part No.	Price
Scale	Ice & Steam	5.5	1/4" Compression	High	AB16	10911011	276.50			
	Ice & Steam	5.5	3/8" Compression	High	AB312	10902011	377.05			
	Scale Remover	N/A	2.2 lb. bag	High	QUICKCLN	11941001	49.00			
	Ice & Steam			High	SCALEFREE	10910011	427.15	SFBR	10910021	352.05
	High Scale solutions utilize Citryne® for maximum scale elimination.									

MISCELLANEOUS & SYSTEM REPLACEMENTS

\approx	Application		Water Treatment Solution				Replacement Cartridges		
\sim	Use	Connection	Scale	System	Part No.	Price	Model	Part No.	Price
	Coffee Brewers	3/8" Flare	ALL	Coffee Clear (CC)	10311111	171.05	СС	10311111	171.05
Miscellaneous	Replacement Chlorinator	1/4" Compression	ALL	CL12A	10841011	276.50			
	BioClean II (2nd stage)	1/4" Compression	ALL	CL16	10842011	301.75			
	25 micron 10" Pleated Cartridge	Cartridge	ALL	SD8	10607101	39.05			
	5 micron 10" Carbon Cartridge	Cartridge	ALL	TD1	10605101	42.95			
	Pressure Gauge	Gauge	ALL	RL100	11010001	50.45			
	Water Analysis Test Kit	N/A		QTK	11030001	20.60			