



America

**WELCOME** 

Austin, Texas
State 28 Install







Since its beginning in 1981, ICETRO has become a global industry leader, and equipment manufacturer. They produce one of the industries most reliable Ice Making equipment, which is simple, reliable, high performing, long lasting and affordable.

ICETRO sells high-performing frozen food equipment selling to over 80 countries. We provide high quality equipment to operate in some of the worlds most difficult environments.

Icetro has sold over 1,000,000 units world wide since 2000. Icetro America began in 2018.





#### **IM introduced June 2018**

Design a result of years of work and investment.

Outstanding reliability improved with simplicity, high quality construction and affordable with 3yr parts & labor, 5 years on compressor



#### ICE SHAPE: Cube & Half Cube



#### **IM-Series Cubers**

30" WIDE

AIR COOLED

IM-0350-AH/C

IM-0460-AH/C

IM-0550-AH/C

IM-0750-AH/C

IM-1100-AH/C

22" WIDE

AIR COOLED

IM-0350-AH/C

IM-0460-AH/C

IM-0550-AH/C

WATER COOLED

IM-0460-WH/C

IM-0550-WH/C

IM-1100-WH/C

**REMOTE** 

IM-1100-RH/C

#### **DIAGNOSTICS, SAFETIES, TESTING & RUN FOR 3 CYCLES**







All Ice Makers are run for 3 cycles BEFORE SHIPPING TO INSURE RELIABILITY.

#### Testing conditions

Water Temp 70 degrees Air Temp 90 degrees Measuring volts, amps Ice Batch is weighed

If the machine does not pass TESTING it is pulled out of production.

**Testing & Running Equipment** for 3 cycles to insure reliability



**Laboratory Measurements of Tested** Ice Makers before shipping



**Gauges & Operating Pressures** Confirmed & Leak tested



Temperatures & Cycles Recorded



#### **Digital Diagnostics Simplifies Service** On IM Series Front Panel



Interest: When in the casaing mone, (watered to wasst).

FULL tamp '(reliow)

On: When the Ice storage thin is filled with ice. When the water cuttain is open for 30 seconds or longer

NO WATER tamp '(reliow)

On: When insufficient water supplied to the machine. (Error code 15).

Flictors: When entering the harvest mode after making ice, when the water level sensor (high/low level) detects water level (water). (Error code 16).

comou l'ingli/hou level detert-souter level (culter). (Error code 16).

POWER lamp Fickes. S. KC/MSSH Lamp Fickes.
When the maximum ice making time (co ministe) (exceeded. (Error code 11).

POWER Lamp Fickes. S. VILLL Lamp Fickes.

FOWER Lamp Fickes. S. VILLL Lamp Fickes.

When the ice making sech secrected of dimensional evaporature lemperature is higher than 32 deg. E. (Err. 03).

FILL Lamp Fickes. S. NO WATER Lamp Fickers.

Illigi pressum ou not occurred cone. (Error code 12).

FILL Lamp Fickes. S. NO WATER Lamp Fickers.

Illigi pressum ou not occurred cone. (Error code 13).

FILL Lamp Fickes. S. NO WATER Lamp Fickers.

Illigi pressum ou not occurred cone. (Error code 13).

#### **Control Board**

The control board provides diagnostics identifying problems, should one occur. This is extremely beneficial in alerting the operator of a problem immediately. Which may save on additional ice purchase that could be incurred during down-time.

#### Features Include:

Temperature safety -

shuts-down unit if high temperature

Freeze back-up safety-

shuts-down unit after 3 sensing error during

freeze cycle

condition exists

Harvest back-up safety-

shuts-down unit and after 3 harvest time errors

Voltage protection-

automatically shuts-down and restarts unit if voltage fluctuates outside of normal ranges. There is board fuse to protect board due to electrical spikes or drops.

Front Panel diagnostic lights

provides lights on control board to expedite repairs. Flashing lights on panel will advise type of problem most often it will be due to cleaning needed to ensure ice quality and machine operation

Water use & cleaning can be adjusted to-

adapt to varying water conditions, reducing cleaning costs.

#### Let's take a look at all the changes

# Front panel on Hinges 2 screws to open Door Can be easily removed if needed



REMOVABLE PANELS!
2 SCREWS TO OPEN FRONT DOOR,
TOP PANEL LIFTS UP AND PUSH BACK TO RELEASE



Side panels, in front, remove 2 screws. Push up and pull forward. No Screws on side or back



TOP & SIDE VENTS FOR GREATER EFFICIENCY, COOLING AND NOISE REDUCTION



Sound Testing Chamber Measuring Decibels

## **INTERIOR ABS ANTI MICROBIAL EVAPORATOR SECTION**



No Tools Needed to remove water distributor tube and water sump for cleaning

#### **OPEN EVAPORATOR SECTION**

**CLOSE UP OF CURTAIN HOLDERS** 



**DISTRIBUTOR TUBE THUMB KNOBS** 

# HEAVY DUTY WATER CURTAIN, HEAVY DUTY PINS, NOTE RED ARROW HEAVY DUTY CURTAIN HOLDERS, EASY REMOVAL




PULL CURTAIN OPEN AND PULL FORWARD TO REMOVE

Slotted hinge brackets eliminate the need to bend the water curtain for removal

## ABS/anti-microbial interior & no tools required.

We've improved upon a classic design using studier parts that won't break the moment they're removed for cleaning and/or servicing!




Remove 3 thumb screws.



Hold left & right tabs in & pull distributor forward



Remove distributor cover.



Water supply from pump, with the distributor tube removed.

## ABS/anti-microbial interior & no tools required.

We've improved upon a classic design using studier parts that won't break the moment they're removed for cleaning and/or servicing!



Our water curtain design is considered the best in the industry! Study curtain hangers allow you to simply pull the curtain open abut 30° then lift up & pull forward to remove!

No need to bend the curtain and risk breaking it any longer!

## Ice production managed by magnetic bin switch.





BIN SWITCH:
MAGNET ON WATER CURTAIN.
SWITCH IN CONTROL BOX.

#### **BACK OF CURTAIN MAGNET ATTACHED**

During the freeze cycle, the water curtain switch is closed. When the ice thickness control senses water, the machine goes into defrost. The ice will release within 1-1 ½ minutes and drops into the bin. The water curtain opens, then closes, putting the machine back into freeze. When the ice bin is full, ice will prevent the curtain from closing and the machine will shut down.

When ice is drawn down, the curtain will close, and the machine will start.


#### Check the ice thickness sensor.

Part of the installation process is to check that the ice thickness sensor is properly adjusted. Too close to the evaporator and the customer will have hollow cubes (or worse) the machine won't make ice at all. Too far from the evaporator and you're freeze time will be too long and the customer will complain of "thick" or "chunky" ice.










Lift the water curtain up and out of the curtain hangers to expose the ice thickness sensor. No need to bend the curtain to remove it.

The ice thickness sensor should NOT be touching the evaporator plate. There should be approximately \( \frac{1}{3}'' - \frac{3}{6}'' \) of space between the sensor and the evaporator. Turn the adjustment screw on the sensor clockwise to put more space between the sensor and the evaporator. Turn the adjustment screw counter-clockwise to put less space between the sensor and evaporator.


### Non Corrosive Platform



Access Valves for Service, Never use unless absolutely needed



# Electrostatic Magnetic Condenser air filter




#### ADJUSTABLE FLUSH FOR DRAIN WATER TO REDUCE SCALE



ADJUSTABLE FLUSH CAN HELP TO REDUCE CLEANING COSTS & MAINTANENCE


20 to 90 SECONDS

PUMP IN DRY ENVIRONMENT, TO REMOVE SIMPLY LOOSEN THUMB SCREWS, HOSE & LIFT OUT.



Side View Top View

#### **Error Code Indicator Lights Diagnostics**




# SIMPLE DIAGNOSTICS, NO ADDED SENSORS SIMPLE CONTROL BOARD

# WATER PUMP MOTOR OUT OF WET ZONE EASY ACCESS TO PUMP



# COST OF CLEANING REMAINS ONE OF THE LARGEST COST TO MAINTAIN SANITARY PRODUCTION OF ICE AND ELIMINATION OF BACTERIA, SLIME, SCALE & TURBIDITY



# Notice cleaning accessibility from front by Icetro, vs. competitor.



MANY WATER GUIDES MUST BE REMOVED FROM TOP 2 WATER TUBES PULL FORWARD TO REMOVE

WATER SUMP IS NOT ACCESSABLE

4 EVAPORATOR SURFACES NOT EASILY ACCESSABLE, EXCEPT WITH LONG BRUSH FROM TOP OF MACHINE



**NO TOOLS REQUIRED** 

SIMPLE CLEANING FROM FRONT.

WATER GUIDE, WATER SUMP & WATER TUBE REMOVABLE IN FRONT

**EVAPORATOR ACCESSABLE FROM FRONT** 

**CLEANING COST LESS THAN HALF** 

Substantial savings TO CLEAN by Icetro.

Icetro offers the easiest and most economical units to clean and maintain.



# **2022 Price List**

effective 09/01/2022

Revised 07/29/2022


If you love your Ice...
It's time to love your Ice Machine!








#### **ICE TYPE**



#### **MODEL NUMBERS**



#### **COMMERCIAL WARRANTY**

Ice machines - Undercounters, Modulars

- 3-year parts & labor
- 5-year part & labor for evaporator
- 5-year part & 3-year labor for compressor

#### Ice storage bins

- 3-year parts & labor
- 1-year parts & labor for IB-M900-48 (effective 02/01/2021)

Ice machines - Flake, Nugget, Ice/Water dispensers

- 3-year parts & labor
- 5-year part & 3-year labor for compressor

#### **RESIDENTIAL WARRANTY**

All ICETRO equipment, if installed in residential area

1

■ 1-year parts & labor

www.icetroamerica.com

#### **UNDERCOUNTERS**



IU-0070		U nension (W x oping Weight		Self-contained bin up to 26lbs Electrical 115V/60Hz/1Ph			
Model	Coolin	Ice	*Max Production Kwh (per 24 Hours) /100lbs			List Price	Replace
Name	g	Туре	70A/50W	90A/70W	90A/70W		Model
IU-0070-OU	Air	Bell/ Gourmet	60	48	11.15	\$4,187.00	WU-0070-AB



#### Accessories:

IcePro 400 (recommended water filter) \$509.00 IcePro 400R (replacement cartridge) \$271.00 \*IPK-56 (drain pump kit, AC motor) \$446.00 \*IPK-60B (drain pump kit, DC motor) \$642.00





4-	
	IPK-56,
	IPK-60B
The second second second	

IU-0090		Dimension	NDERCOL (W x D x H): Weight: 120	15" x 24" x 3	34"	Self-contained bin up to 22lbs Electrical 115V/60Hz/1Ph		
Model	Coolin	lce	100000000000000000000000000000000000000	oduction Hours)	Kwh /100lbs	List Price	Replace Model	
Name	g Type	Type	70A/50W	90A/70W	90A/70W			
IU-0090-AN	Air	Nugget	91	67	10.58	\$6,201.00	N/A	



#### Accessories:

IcePro 400 (recommended water filter) \$509.00 IcePro 400R (replacement cartridge) \$271.00 \*IPK-61B (drain pump kit, DC motor) \$658.00



CE DE DESCRIPTION DE LETTE DE



effective 09/01/2022 www.icetroamerica.com 2

#### **UNDERCOUNTERS**



WU-0100		nsion (W	JNDERCO x D x H): 21" ht: 127 lbs	JNTER × 23" × 35" (v	w/o legs)	Self-contained bin up to 27lbs Electrical 115V/60Hz/1Ph		
Model	Cooling Ice				Kwh /100lbs	List Price	Replace	
Name		Туре	70A/50W	90A/70W	90A/70W		Model	
WU-0100-AC	Air	Cube	105	74	9.39	\$4,611.00	N/A	
						_		



WU-0100-AC

IU-0170-AC/AH

effective 09/01/2022














IU-0170		UN mension (W x I ipping Weight:			Self-contained bin up to 77lbs Electrical 115V/60Hz/1Ph		
Model	Model Cooli Ice		*Max Production (per 24 Hours)		Kwh /100lbs	List Price	Replace
Name	ng	Туре	70A/50W	90A/70W	90A/70W		Model
IU-0170-AC IU-0170-AH	Air Air	Cube Half Cube	175 175	140 140	8.62 8.62	\$5,067.00 \$5,067.00	N/A N/A

IcePro 400 (recommended water filter) \$509.00



\$271.00












Accessories:



3 www.icetroamerica.com

#### **UNDERCOUNTERS**



IU-0220		mension (W x I ipping Weight:	o legs)	Self-contained bin up to 77lbs Electrical 115V/60Hz/1Ph				
Model	Cooli	lce	*Max Production Kwh (per 24 Hours) /100lbs		111111	List Price	Replace	
Name	ng	Туре	70A/50W	90A/70W	90A/70W		Model	
IU-0220-AC IU-0220-AH	Air Air	Cube Half Cube	202 202	150 150	8.62 8.62	\$5,650.00 \$5,650.00	N/A N/A	














#### Accessories:

IcePro 400 (recommended water filter) \$509.00 IcePro 400R (replacement cartridge) \$271.00







effective 09/01/2022 www.icetroamerica.com

#### **UNDERCOUNTERS**



WU-0100		nsion (W	JNDERCOU x D x H): 21" ht: 127 lbs	UNTER × 23" × 35" (v	w/o legs)	Self-contained bin up to 27lbs Electrical 115V/60Hz/1Ph		
Model Name	Cooling	Ice Type	*Max Production (per 24 Hours) 70A/50W 90A/70W		Kwh /100lbs 90A/70W	List Price	Replace Model	
WU-0100-AC	Air	Cube	105 74		9.39	\$4,611.00	N/A	











\*FWU-0100R is required for this machine to operate, and one is included with machine. Recommended to replace every 6 months.

#### **UNDERCOUNTER** Self-contained bin up to IU-0170 Dimension (W x D x H): 26" x 27" x 38" (w/o legs) Electrical 115V/60Hz/1Ph Shipping Weight: 183 lbs \*Max Production Kwh Replace Model Cooli Ice (per 24 Hours) /100lbs List Price Model Name ng Type 70A/50W 90A/70W 90A/70W

140

140





\$5,067.00

\$5,067.00





N/A

N/A



IU-0170-AC/AH

Air

Air

IU-0170-AC

IU-0170-AH

Accessories:

Cube

Half Cube

IcePro 400 (recommended water filter) \$509.00 IcePro 400R (replacement cartridge) \$271.00

3



175

175



8.62

8.62

1-vear extended Warranty For more information, olease visit our web site

#### **UNDERCOUNTERS**



IU-0220		U) mension (W x I ipping Weight:			Self-contained bin up to 77lbs Electrical 115V/60Hz/1Ph		
Model	Cooli	lce		*Max Production (per 24 Hours)		List Price	Replace Model
Name	ng	Туре	70A/50W	90A/70W	90A/70W		iviodei
IU-0220-AC IU-0220-AH	Air Air	Cube Half Cube	202 202	150 150	8.62 8.62	\$5,650.00 \$5,650.00	N/A N/A














#### Accessories:

IcePro 400 (recommended water filter) \$509.00 IcePro 400R (replacement cartridge) \$271.00







#### **MODULARS**

IM-0460

#### **ICETRO** America

IM-0350	Din	MAESTRO SERIES  Dimension (W x D x H): 22" x 25" x 23" (22" Head)  30" x 25" x 23" (30" Head)  Shipping Weight: 163lbs  171lbs			0 x H): 22" x 25" x 23" (22" Head)					
Model Name	Coolin	lce Type	*Max Production (per 24 Hours) 70A/50W 90A/70W		Kwh /100lbs	List Price				
IM-0350-AC-22 IM-0350-AH-22 IM-0350-AC IM-0350-AH	Air Air Air Air	Cube Half Cube Cube Half Cube	394 394 367 367	311 311 304 304	6.20 6.20 6.20 6.20	\$5,809.00 \$5,809.00 \$5,703.00 \$5,703.00				













Accessories:

IcePro 400 (recommended water filter) \$509.00 IcePro 400R (replacement cartridge) \$271.00

IBT-2230BV (4" two bin top adapters, center mount 22" Head on 30" Bin) \$181.00

ITS-150KIT (Bin Stat Kit for Beverage dispensers) \$488.00





1-year extended Warranty For more information. please visit our web site



IB-026-22 (22" x 34" x 38", 265 lbs storage) \$2,332.00 IB-033 (30" x 34" x 38", 350 lbs storage) \$2,332.00

IB-044 (30" x 34" x 46", 440 lbs storage) \$2,661.00



IM-0350-AC/AH

with IB-033





5





www.icetroamerica.com

#### **MAESTRO SERIES**

Dimension (W x D x H): 22" x 25" x 23" (22" Head) 30" x 25" x 23" (30" Head) Replace model: WM-0460-AC/AH-22, WM-460-AC/AH Electrical 115/60Hz/1Ph Shipping Weight: 168lbs, 184lbs, 192lbs

Model	Coolin	Ice		roduction 4 Hours)	Kwh /100lbs	List Price
Name	g	Туре	70A/50W	90A/70W	90A/70W	
IM-0460-AC-22 IM-0460-AH-22 IM-0460-AC IM-0460-AH IM-0460-WC	Air Air Air Air Water	Cube Half Cube Cube Half Cube Cube	443 443 444 444 463	331 331 364 364 407	6.21 6.21 5.43 5.43 4.56	\$6,318.00 \$6,318.00 \$6,212.00 \$6,212.00 \$7,055.00
IM-0460-WH	Water	Half Cube	463	407	4.56	\$7,055.00















Accessories:

IcePro 400 (recommended water filter) \$509.00 IcePro 400R (replacement cartridge) \$271.00

IBT-2230BV (4" two bin top adapters, center mount 22" Head on 30" Bin) \$181.00

ITS-150KIT (Bin Stat Kit for Beverage dispensers)







1-year extended Warranty For more information, please visit our web site

#### Recommended Ice storage bins:

IB-026-22 (22" x 34" x 38", 265 lbs storage) \$2,332.00 (30" x 34" x 38", 350 lbs storage) \$2,332.00 IB-033 IB-044 (30" x 34" x 46", 440 lbs storage) \$2,661.00

6



IM-0460-AC/AH

with IB-033







IBT-2230BV

#### **MODULARS**



#### **MODULARS**

IM-0750




IM-0550	Din	<b>M</b> nension (W x I	Electrical 115/60Hz/1 Shipping Weight: 171lbs, 189lbs, 192lb			
Model	Coolin	Ice		roduction 4 Hours)	Kwh /100lbs	List Price
Name	g	Туре	70A/50W	90A/70W	90A/70W	
IM-0550-AC-22	Air	Cube	508	383	6.08	\$7,039.00
IM-0550-AH-22	Air	Half Cube	508	383	6.08	\$7,039.00
IM-0550-AC	Air	Cube	551	399	5.91	\$6,922.00
IM-0550-AH	Air	Half Cube	551	399	5.91	\$6,922.00
IM-0550-WC	Water	Cube	547	483	4.53	\$7,452.00
IM-0550-WH	Water	Half Cube	547	483	4.53	\$7,452.00











IcePro 400 (recommended water filter) \$509.00 IcePro 400R (replacement cartridge) \$271.00 IcePro 800 (recommended water filter) \$695.00 IcePro 800R (replacement cartridge) \$456.00

IBT-2230BV (4" two bin top adapters, center mount 22" Head on 30" Bin) \$181.1 ITS-150KIT (Bin Stat Kit for Beverage dispensers)





1-year extended Warranty For more information, please visit our web site



IM-0550-AC/AH

Recommended Ice storage bins:

IB-026-22 (22" x 34" x 38", 265 lbs storage) \$2,332.00 IB-033 (30" x 34" x 38", 350 lbs storage) \$2,332.00 IB-044 (30" x 34" x 46", 440 lbs storage) \$2,661.00

7









#### **MAESTRO SERIES**

Dimension (W x D x H): 30" x 25" x 23" Replace model: WM-0680-AC/AH, IM-0680-AC/AH Electrical 208~230V/60Hz/1Ph Shinning Weight, 218lhs

						Shipping Weight. Z10ib3
Model Name	Cooling	lce		roduction 4 Hours)	Kwh /100lbs	List Price
		Туре	70A/50W	90A/70W	90A/70W	
IM-0750-AC IM-0750-AH	Air Air	Cube Half Cube	737 737	584 584	5.50 5.50	\$7,611.00 \$7,611.00





\$488.00









IcePro 800 (recommended water filter) \$695.00 IcePro 800R (replacement cartridge) \$456.00 ITS-150KIT (Bin Stat Kit for Beverage dispensers)

IM-0750-AC/AH



IM-0750-AC/AH

with IB-044





1-year extended Warranty For more information, please visit our web site

#### Recommended Ice storage bins:

(30" x 34" x 38", 350 lbs storage) \$2,332.00 IB-033 IB-044 (30" x 34" x 46", 440 lbs storage) \$2,661.00 IB-M900-48 (48" x 31" x 50", 900 lbs storage) \$4,977.00





8





#### **MODULARS**

IM-0770-AF

IM-0770-AN




IM-1100		Dimension (	W x D x H): 3 nodel: WM-1	0" x 25" x 30"	<b>X</b> .	Electrical 208~230V/60Hz/1Ph Shipping Weight: 262lbs
Model	Cooling	lce		roduction 4 Hours)	Kwh /100lbs	List Price
Name		Туре	70A/50W	90A/70W	90A/70W	
IM-1100-AC IM-1100-AH IM-1100-WC IM-1100-WH IM-1100-RC IM-1100-RH IRC-1100	Air Air Water Water Remote Remote	Cube Half Cube Cube Half Cube Cube Half Cube ondenser	1,106 1,106 1,036 1,036 1,081 1,081	875 875 1,004 1,004 949 949	4.99 4.99 4.13 4.13 4.72 4.72	\$10,569.00 \$10,569.00 \$11,099.00 \$11,099.00 \$10,357.00 \$10,357.00 \$2,783.00



IM-1100-AC/AH

Accessories:

IcePro 1300 (recommended water filter) \$970.00 \$674.00 IcePro 1300R (replacement cartridge) ITS-150KIT (Bin Stat Kit for Beverage dispensers) \$488.00 \$628.00 IRT-20R404A (Line set, charged, 20ft)





For more information, please visit our web site

C E ON ON ON THE PICK PROPERTY OF THE PICK PROPERTY







IRC-1100 IRT-50R404, 35R404, 20R404

#### Recommended Ice storage bins:

(30" x 34" x 46", 440 lbs storage) \$2,661.00 IB-M900-48 (48" x 31" x 50", 900 lbs storage) \$4,977.00 1045-SS (48" x 44.5" x 55", 1161 lbs storage, Uplight) \$7,705.00



#### **Modulars**

IM-1100-AC/AH

with IB-044





#### Flake/Nugget Machine Electrical 115/60Hz/1Ph Dimension (W x D x H): 22" x 25" x 26" IM-0770 Shipping Weight: 201lbs \*Max Production Kwh Cooling (per 24 Hours) /100lbs Model Ice List Price Type Name



90A/70W

5.18

5.43







\$10,050.00

\$10,050.00



Accessories:

Flake

Nugget

Air

Air

IcePro 800 (recommended water filter) \$655.00 IcePro 800R (replacement cartridge) \$430.00

70A/50W

760

717

IBT-2230R (8" bin top adapter, left mount 22" Head on 30" Bin) \$150.00 IBT-2230B (4" two bin top adapters, center mount 22" Head on 30" Bin) \$170.00 ITS-150KIT (Bin Stat Kit for Beverage dispensers)

90A/70W

595

562





1-year extended Warranty For more information, please visit our web site



IM-0770-AF/AN

IM-0770-AF/AN with IB-026-22

#### Recommended Ice storage bins:

IB-026-22 (22" x 34" x 38", 265 lbs storage) \$2,200.00 IB-033 (30" x 34" x 38", 350 lbs storage) \$2,200.00 IB-044 (30" x 34" x 46", 440 lbs storage) \$2,510.00

9












#### **ICE STORAGE BINS**



Model Name	lce Storage	Dimension (W x D x H, w/o legs)	Shipping Weight	List Price
IB-026-22	265 lbs	22" x 34" x 38"	113 lbs	\$2,332.00
IB-033	350 lbs	30" x 34" x 38"	140 lbs	\$2,332.00
IB-044	440 lbs	30" x 34" x 46"	167 lbs	\$2,661.00
*IB-M900-48	900 lbs	48" x 31" x 44"	305 lbs	\$4,977.00
**1045-SS	1,161 lbs	48" x 44.5" x 55"	300 lbs	\$7,705.00

\*Note: Bin top adapter for IB-M900-48 included to center mount 30" Head on 48" bin, and prior request necessary to use 22" Head when place order.



IB-033



IB-M900-48







1045-SS

Uplight





Accessories:

IB-026-22

IBT-2230BV (4" two bin top adapters, center mount 22" Head on 30" Bin) \$181.00 #3020-06800 (Four 6.3" ~ 7.8" height adjustable stainless legs package) \$149.00

IB-044

#### Recommended model use with:

IB-026-22: IM-0350-22, IM-0460-22, IM-0550-22, IM-0770, WM-0460-22

IB-033: IM-0350, IM-0350-22, IM-0460, IM-0460-22, IM-0550, IM-0550-22, IM-0680,

IM-0750, IM-0770, WM-0460, WM-0460-22, WM-0680

IB-044: IM-0460, IM-0460-22, IM-0550, IM-0550-22, IM-0680, IM-0750, IM-0770, IM-1100,

WM-0460, WM-0460-22, WM-0680, WM-1100

IB-M900-48: IM-0550, IM-0680, IM-0750, IM-1100, WM-0680, WM-1100

1045-SS Uplight: IM-1100, WM-1100

#### ICE/WATER DISPENSERS (NUGGET)



					Electrical 115	5V/60Hz/1Ph
Model	Self- Contained	Dimension (W x D x H*)	*Max Pro (per 24		Kwh /100lbs	List Price
	Storage	*w/o foot	70A/50W	90A/70W	90A/70W	
ID-0160-AN	5.3 lbs	13.8" x 23.9" x 25"	160	106	5.92	\$7,548.00
ID-0300-AN	11 lbs	16.6" x 25" x 27.9"	282	206	6.50	\$8,915.00
ID-0450-AN	30 lbs	16.6" x 26.5" x 40.04"	378	289	7.28	\$11,713.00















IcePro DIS (recommended water filter) IcePro DISR (replacement cartridge) IDS-0350 (Stand for ID-0300 & ID-0160) \$1,537.00 IDS-0450 (Stand for ID-0450)





CE Intertek Intertek LISTED FOOT









IDS-0450 Stand with flanged legs







effective 09/01/2022 effective 09/01/2022 11 www.icetroamerica.com 12 www.icetroamerica.com



			Elect	rical 115V/60Hz/1Ph
Model Name	lce Storage	Dimension (W x D x H)	Shipping Weight	List Price
ID-H150-22	141 lbs	22.5" x 33.3" x 51.5"	209 lbs	\$6,519.00
ID-H250-30	247 lbs	30" x 33.3" x 51.5"	229 lbs	\$7,473.00













ID-H150-22 Shown with IM-0550-AH-22 (Ice machine sold separately)



ID-H250-30 Shown with IM-0550-AH (Ice machine sold separately)



<sup>\*</sup> Please note that the final design could be changed without notice. This machine is ice dispense only, and no water dispense support.

#### WATER FILTRATION



Model Name	Flow Rate	Fittings	Dimension (W x D x H)	Shipping Weight	List Price
IcePro DIS	1.0 GPM	3/8"	6.5" x 3.5" x 8.5"	4 lbs	\$541.00
IcePro 400	2.8 GPM	1/2" FPT	5.5" x 3.75" x 26"	9 lbs	\$509.00
IcePro 800	3.5 GPM	1/2" FPT	5.5" x 4.25" x 33.5"	11 lbs	\$695.00
IcePro 1300	5.5 GPM	1/2" FPT	5.5" x 5.25" x 33.5"	14 lbs	\$970.00

Replacement cartridge: IcePro DISR \$361.00

IcePro 400R \$271.00

IcePro 800R \$456.00

IcePro 1300R \$674.00



CITRYNE

Includes Citryne®, which is a patented blend to eliminate the effects of scale in food service equipment.

ICETRO America Utilizes the IcePro water treatment systems in providing pre-filtration to all of our systems as well as controlling scale with a patented blend called Citryne\*.

The IcePro series is a complete system without the need to add additional pre-filtration or scale control. The IcePro series will provide superior filtration to remove particulates and eliminate the effects of hard water scale in all ICETRO ice makers.











: 1-Year extended warranty (for more info., please check it www.icetroamerica.com)

effective 09/01/2022 effective 09/01/2022 14 (end of Doc) 13 www.icetroamerica.com www.icetroamerica.com  \*80-85% of machine failures are due to poor install, lack of cleaning, inadequate water treatment or airborne slime(Bacteria).

# Introducing IcePro Water Treatment

# IcePro series WATER TREATMENT For All Icetro® Ice Makers

Our IcePro series includes built-in pre-filtration and carbon based filtration as well as controlling scale with a patented blend called Citryne. The IcePro systems are a complete answer for filtration, taste and odor control and most importantly eliminates hard water problems that cause inconsistent ice maker performance.



#### Price comparison

Icetro	List	Manitowoc	List	Hoshizaki	List	IOM	List	Koolair	List	Scotsman	List
IU-0070-OU	9/1/2022 4.187.00	SM50A-161	1/3/2022 5,205.00	AM-50BAJ	7/1/2022 5,240.00		6/1/2022		1/3/2022	CU50GA	9/1/2022 6,771.00
IU-0090-AN (nugget)	6,201.00	51115571 151	3,203.00	C-80BAJ (nugget)	7,690.00	GEMU090 (nug	8,915.00			0000011	5,7,71.00
WU-0100-AC	4,611.00	UDE0080A-161	5,130.00	KM-116BAJ	5,300.00		-,			CU0920MA	5,914.00
IU-0170-AC/AH	5,067.00	UDF0190A-161B	5,452.00	KM-161BAJ	5,810.00	ICEU150A	6,326.00	KDF0150A	4,960.00		
IU-0220-AC/AH	5,650.00	UDF-0240A-161B	5,931.00	KM-231BAJ	6,300.00	ICEU220A	6,896.00	KDF0250A	6,468.00	CU2024MA	6,188.00
IM-0350-AC/AH	5,703.00	IDT0300A-161	6,557.00	KML-325MAJ	6,910.00	CIM0330A	7,756.00	KYT0300A	5,394.00	C0330MA	7,933.00
IM-0350-AC/AH-22	5,809.00	A DEMAND MANAGE	MANAGEMENT THE STATE OF THE STA	KM-350MAJ	7,480.00	CIM0320A	8,074.00	Telegraphic Control of the Control o	Teleforde Chiaz - Fazzena (1944)	C0322MA	8,619.00
IM-0460-AC/AH	6,212.00	IDT0450A-161	7,070.00	KMD-460MAJ	8,070.00	CIM0430A	8,549.00	KYT0400A	6,256.00		
IM-0460-AC/AH-22	6,318.00	IDT0420A-161	7,359.00	KM-420MAJ	7,600.00			KYT0420A	6,011.00		
IM-0550-AC/AH	6,922.00	IDT0500A-161	7,851.00	KML-500MAJ	7,990.00	CIM0530A	8,982.00	KYT0500A	6,551.00	C0530MA	8,814.00
IM-0550-AC/AH-22	7,039.00	IDT0620A-161	7,786.00	KM-520MAJ	8,000.00	CIM0520A	8,667.00			C0522MA	8,925.00
IM-0750-AC/AH	7,611.00	IDT0750A-261	9,340.00	KML-700MAJ	9,610.00	CIM0636A	10,600.00	KYT0700A	7,611.00	CO722MA	10,632.00
IM-1100-AC/AH	10,569.00	IDT1200A-261	13,699.00	KM-1100MAJ	14,140.00	CIM1136A	14,595.00	KYT1000A	9,974.00	C1030MA	15,874.00
IM-0460-WC/WH	7,055.00	IDT0450W-161	7,423.00	KMD-460MWJ	8,200.00	CIM0436W	8,976.00	KYT0400W	6,569.00	C0530MW	8,814.00
IM-0550-WC/WH	7,452.00	IDT0500W-161	8,493.00	KML-500MWJ	8,130.00	CIM0530W	9,159.00	KYT0500W	6,878.00	CO530MW	8,814.00
IM-1100-WC/WH	11,099.00	IDT1200W-261	14,384.00	KM-1100MWJ	14,020.00	CIM1137W	15,632.00	KYT1000W	10,472.00	C1030MW	16,124.00
IM-1100-RC/RH	10,357.00	IDT1200N-261A	13,523.00	KM-1100MRJ	13,630.00	CIM1136R	14,725.00	KYT1000N	9,800.00	C1030MR	15,774.00
IRC-1100	2,783.00	JCT1200-261	2,701.00	URC-14F	2,520.00	RCA-2061	2,993.00	JCT1200-261	2,701.00	ERC311	2,863.00
IM-0770-AN	10,653.00	RNP0620A	10,520.00	F-801MAJ-C	12,790.00	GEM0650A	14,051.00			NH622A	14,342.00
IM-0770-AF	10,653.00	RFP0620A-161	10,532.00	F-801MAJ	12,120.00	MFI0800A	13,322.00			F0822A	13,261.00
ID-0160-AN	7,548.00										
ID-0300-AN	8,915.00	CNF0201A-161	10,341.00	DCM-271BAH	10,410.00	GEMD270A2	12,960.00			HID312A	12,753.00
ID-0450-AN	11,713.00			DCM-500BAH	16,770.00					HID525A	18,687.00
IDS-0350 (stand)	1,450.00	K00453 (stand)	1,243.00	SD-271	1,730.00					HST16-A	1,999.00
IDS-0450 (stand)	1,650.00			SD-500	1,910.00					HSt21-A	2,065.00
IB-026-22	2,332.00	D320	2,446.00	B-300SF	2,530.00	B42	2,917.00	K420	2,263.00	B322S	2,953.00
IB-033	2,332.00	D400	2,544.00	B-250SF	2,450.00	B40	2,716.00	K400	2,145.00	B330P	2,817.00
IB-044	2,661.00	D570	2,936.00	B-500SF	2,820.00	B55	3,204.00	K570	2,605.00	B530P	30.00
ID-H150-22	6,519.00	SPA162-161	7,308.00	DB-130H	7,340.00	CD40022	8,329.00	N/A		HD22B	8,856.00
ID-H200-30	7,473.00	SPA312-161	8,613.00	DB-200H	8,420.00	CD40030	9,740.00	N/A		HD30B	10,329.00



# The Maestro IM Series Features & Benefits Recap

- 304 Stainless Steel Exterior (durable & rust-resistant)
- Simple diagnostic panel to assist service & maintenance
  - Cleaning switch for auto cleaning cycle
  - Magnetic frame cleanable condenser air filters
  - Adjustable flush to reduce scale & cleaning cost
- ABS antimicrobial interior to reduce slime & cleaning cost
  - Non-Corrosive Platform & Base
- Water Distributor tube & water sump removed w/o tools
- Heavy duty water curtain, pins & hangers improve durability
  - Hinged front door panel for easy access
  - No screws on side or back panels for easy access
- Sides & top vent for increased ventilation/Noise reduction
- Evaporator section reduced air zone with ABS to impede airborne bacteria
- Reliability, longevity, and simplicity proven in World's most difficult environments

#### WARRANTY

Ice Maker: 3-Year Parts & Labor


Evaporator: 5-Year Parts & 5-Year Labor


Compressor: 5-Year Parts & 3-Year Labor



- Our National Contractor Network provides Technicians qualified on Ice Making Equipment with Customer Support
- Parts & Inventory locations across USA.
- Not selling to Buying Groups
- Not selling to Web Stores
- Large Internet companies selling for the same price you pay
- We address many of these concerns with our Master Dealer & Distributor Programs.
- Distributors do not compete with dealers and contractors.
- Distributors refer leads to Dealers.
- Able to compete with buying groups and internet sales.
- Ground floor opportunity to work with one of the Industry's most reliable Ice Maker Manufactures.

# **Technician Handbooks**





# Tech Books Service & Install Manuals for all Models Available



An Enterprise Providing Cool Happiness!!



#### ICETRO AMERICA's Commercial ICE MAKER Warranty

Icetro America (the "COMPANY"), as a warranty administrator of Icetro brand Ice Maker sold in the USA and Canada, warrants only to the original owner, for the period of 36 (thirty six) months that new ice maker (the "PRODUCT") manufactured by Icetro shall be free of defects in material or workmanship under normal and proper use and maintenance as specified by the COMPANY. This warranty depends upon proper installation and start-up in accordance with the instruction manual supplied with the PRODUCT. An additional 24 (twenty four) months shall apply to the compressor and evaporator as explained below. Warranty registration, as instructed in the instruction manual, must be completed within 10 days of the original installation date to validate the product warranty. In the event that proper registration has not been completed, the warranty shall begin from the distributor sold date.

ICETRO AMERICA Commercial Ice Maker warranty Ice Maker: 3 year Parts & Labor Evaporator: 5 year Parts & Labor Compressor: 5 year Parts & 3 year Labor Ice Storage Bin: 3 year Parts

The obligation of the COMPANY and the rights and remedies of the owner/user under this warranty are exclusively limited to the repair or replacement of parts or assemblies that in opinion of the COMPANY are defective. This warranty is further limited to the cost of parts, components or assemblies and standard straight time labor charges at the servicing location and shall exclude any additional expenses. Additional expenses include without limitation, travel time, overtime premium, accessing or removal of the ice maker, or shipping or other premium charges. Labor charges covered under this warranty, must be performed by a refrigeration service company qualified and accepted by the COMPANY and/or the COMPANY's local Distributor. The total liability of the COMPANY under this warranty shall in no event be greater than the actual purchase price paid by the customer for the ice maker.

The foregoing warranty shall not apply to (1) any part or assembly that has been altered, modified, or changed; (2) any part or assembly that has been subjected to misuse, abuse, neglect, or accidents; (3) any Product that has been installed and/or maintained inconsistent with the technical instructions provided by the COMPANY, or (4) any Product that has been installed or is located outside the USA or Canada.

This warranty shall not apply if the Product's refrigeration system is modified with a condenser, heat reclaim device, or parts and assemblies other than those manufactured by the COMPANY, unless the COMPANY approves these modifications for specific locations in writing. In the event a warranty call is made to an authorized service company, and the problem is determined to not be a warranty issue the service company must be paid by the party requesting warranty service. Problems concerning water and electrical supply and or lack of maintenance and sanitation, or equipment abuse is the responsibility of the party requesting warranty service. If the service company is not paid by the customer for work not covered under warranty, ICETRO could choose to pay service company and warranty can be canceled.

THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES OR GUARANTEES OF ANY KIND, EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. In no event shall the COMPANY be liable for any special, indirect, incidental or consequential damages. Upon the expiration of the warranty period, the COMPANY's liability under this warranty shall terminate. The foregoing warranty shall constitute the sole liability of the COMPANY and the exclusive remedy of the customer or user.

Complete the follow	wing and retain for your records:	
Distributor/Dealer		Installation Date
Model Number	Serial Number	r
ICETRO AMERICA. II	NC. 1565 West Broadway Anaheim. CA 92802 +1-714 2	5 4864 www.icetroamerica.com

ICETRO AMERICA'S WARRANTY LABOR CLAIM

		Optio	nal Reference No		-2
Email to Jack.S@icetroamerica.com Telephone: (714) 215 4864		Service companie			America
Date Failed	Date Form Com	pleted	Date Re	epaired	America
mportant: Serial numbers of ALL prod	lucts serviced require	d Model No.	S	erial No.	Install Date
ce Machine					
Related system components (bin, remo	te condenser.)				
DISTRIBUTOR		SERVICE COMPANY		CUSTOME	R
Company Name		Company Name		Name	
Address		Address		Address	
City Outs Ti-		Clau Canta Tin		A. A. T	
City. State. Zip		City. State. Zip		City. State. Z	10
Area Code & Telephone No.	_	Area Code & Telephone No.		Area Code & Teleph	rone No
niea code a Telepriorie NC.	Did you sell thi		ES 🗆 NO	Customer location is requ	
		ent leased by you?		including leased e	
ee reverse side for "WARRANTY SER otal hours X Labor rate per hou If applicable: State the reason why yo	ır			(Sub	
ype of Refrigerant used Amoun liscellaneous material up to \$40.00 for noludes brazing supplies, vacuum pun PECIAL AUTHORIZATION number	t of refrigerant used_ repairs requiring ope np, recover equipmen	X Refrigerant Allow ning of refrigeration syst tt, etc.)	rance = I	LABOR CHARGES U. WIISCELLANEOUS U.	mit in U.S. Dollars only, S. \$ S. \$ S. \$ S. \$ S. \$
ype of Refrigerant used	t of refrigerant used_ repairs requiring ope np, recover equipmen	X Refrigerant Allow ning of refrigeration syst tt, etc.)	rance tiem = I	LABOR CHARGES U. WIISCELLANEOUS U.	S. \$ S. \$ S. \$
ype of Refrigerant used	t of refrigerant used_ repairs requiring ope np, recover equipmen Y when outside warranty	X Refrigerant Allow ning of refrigeration sys t, etc.) guidelines on back of form)	rance eem = I TA	U.   U.   U.   U.   U.   U.   U.   U.	S. \$ S. \$ S. \$ S. \$ S. \$
ype of Refrigerant used	t of refrigerant used_ repairs requiring ope np, recover equipmen Y when outside warranty	X Refrigerant Allow ning of refrigeration sys t, etc.) guidelines on back of form)	rance eem = I TA	ABOR CHARGES U.  MISCELLANEOUS U.  X (if applicable)% U.	S. \$ S. \$ S. \$
ype of Refrigerant used	t of refrigerant used_ repairs requiring open p, recover equipmen Y when outside warranty Parts Replaced obtained from and return A Return Material Tagl	X Refrigerant Allow ning of refrigeration syst t, etc.) guidelines on back of form) ed to the loetroAmerica.com	rance = I	ABOR CHARGES  U. MISCELLANEOUS  X (if applicable)%  U. VOICE TOTAL CHARGE U. Shaded Area for Factory U.	S. \$
ype of Refrigerant used	t of refrigerant used_ repairs requiring open p, recover equipmen Y when outside warranty Parts Replaced obtained from and return A Return Material Tagl	X Refrigerant Allow ning of refrigeration syst t, etc.) guidelines on back of form) ed to the loetroAmerica.com	rance = I	ABOR CHARGES  U. MISCELLANEOUS  X (if applicable)%  U. VOICE TOTAL CHARGE U. Shaded Area for Factory U.	S. \$
ype of Refrigerant used	t of refrigerant used_ repairs requiring open p, recover equipmen Y when outside warranty Parts Replaced obtained from and return A Return Material Tagl	X Refrigerant Allow ning of refrigeration syst t, etc.) guidelines on back of form) ed to the loetroAmerica.com	rance = I	ABOR CHARGES  U. MISCELLANEOUS  X (if applicable)%  U. VOICE TOTAL CHARGE U. Shaded Area for Factory U.	S. \$
ype of Refrigerant used	t of refrigerant used_ repairs requiring open p, recover equipmen Y when outside warranty Parts Replaced obtained from and return A Return Material Tagl	X Refrigerant Allow ning of refrigeration syst t, etc.) guidelines on back of form) ed to the loetroAmerica.com	rance = I	ABOR CHARGES  U. MISCELLANEOUS  X (if applicable)%  U. VOICE TOTAL CHARGE U. Shaded Area for Factory U.	S. \$
ype of Refrigerant used	t of refrigerant used_ repairs requiring openp, recover equipmen Y when outside warranty  Parts Replaced obtained from and return A Return Material Tag  Number	X Refrigerant Allow uning of refrigeration syst t, etc.) guidelines on back of form) ed to the loetroAmerica.com Description of Part	rance =   TA   IM   Account   Approved by	ABOR CHARGES  U. MISCELLANEOUS  X (if applicable)%  U. VOICE TOTAL CHARGE U. Shaded Area for Factory U.	S. \$ S. \$ S. \$ S. \$ S. \$ S. \$ Dollar Amount  Date
ype of Refrigerant used	t of refrigerant used_ repairs requiring ope np, recover equipmen Y when outside warranty Parts Replaced obtained from and return A Return Material Tag Number	X Refrigerant Allow uning of refrigeration syst t, etc.) guidelines on back of form) ed to the loetroAmerica.com Description of Part	rance =   TA   IM   Account   Approved by	ABOR CHARGES  U. MISCELLANEOUS  U. X (if applicable)%  U. IVOICE TOTAL CHARGE U. Shaded Area for Factory U: Code Description	S. \$ S. \$ S. \$ S. \$ S. \$ S. \$ Dollar Amount

ICETRO AMERICA, INC. 1565 West Broadway Anaheim, CA 92802 +1-714-215-4864 www.icetroamerica.com

# America's Best Kept Secret.

World Class Ice Makers.



# THANK YOU

